## VILLAGE OF LOMBARD REQUEST FOR BOARD OF TRUSTEES ACTION

For Inclusion on Board Agenda Bids and Proposals

TO :	President and Village Board of Trustees				
FROM:	Scott Neihaus, Village Manager				
DATE :	November 20, 2017	Agenda Dat	e <u>December</u>	<u>7, 2017</u>	
TITLE :	Waiver of Bids – Concentric Integration, LLC 2018 SCADA Control Room Equipment Purchase & Integration				
SUBMITTED BY:	MITTED BY: Brian M. Jack, Utilities Superintender				
RESULTS: Date Bids Were Publ Total Number of Bid	s Received		sed		
Bid Security Require	ders Meeting Specification dYe		No		
	equiredYe		No		
	drawn Ye		No		
Explanation:					
	ested? X		No		
If yes, explain: Purchase is directly from manufacturer.					
Award Recommended to LowestYesNo					
Responsible Bidder?  If no, explain:					
ii no, explain.					
FISCAL IMPACT:					
Engineer's estimate/budget estimate \$80,025.00 Amount of Award \$75,350.00					
Water & Sewer Capital Reserve Fund: 520.790.715.75420 Proj: WA 18 04 Construction					
BACKGROUND/RECOMMENDATION:					
The SCADA Control Room upgrade equipment purchase and integration. This encompasses not only					
adding more work stations for operators to use for asset management but will also allow more space for					
maintaining preventative maintenance programs, more robust SCADA monitoring via an operator					
control console, telecommunication improvements, system configuration and interface to video walls,					
and the ability to integrate the video surveillance of remote water, sewer and storm water sites in the					
very near future.					
	Bidder Worked for Village	Previously	X Yes	No	
If yes, was quality of	-		Yes	No	
	rdance with Public Act 85-		Yes	X No	
Waiver of bids - Pub	lic Act 85-1295 does not ap	ply	<u>X</u> Yes		
REVIEW (as needed	):				
Village Attorney XX			Date	_	
Finance Director XX	9		Date	=1,_	
Village Manager XX	7 SPN		Date 4/2	2/17	

NOTE: All materials must be submitted to and approved by the Village Manager's Office by 4:30 pm, Wednesday, prior to the Board Agenda distribution.